

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 4 ASSAYS AT EACH OF 15 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

SE	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	84.8	115.2	84.7	115.3	85.0	115.0	85.5	114.5	86.0	114.0	86.5	113.5	87.0	113.0	87.5	112.5	87.9	112.1
0.2	84.7	115.3	84.6	115.4	85.1	114.9	85.6	114.4	86.0	114.0	86.5	113.5	87.0	113.0	87.5	112.5	88.0	112.0
0.3	84.6	115.4	84.8	115.2	85.2	114.8	85.6	114.4	86.1	113.9	86.6	113.4	87.0	113.0	87.5	112.5	88.0	112.0
0.4	84.8	115.2	85.0	115.0	85.3	114.7	85.7	114.3	86.2	113.8	86.6	113.4	87.1	112.9	87.6	112.4	88.0	112.0
0.5	85.0	115.0	85.2	114.8	85.5	114.5	85.9	114.1	86.3	113.7	86.7	113.3	87.2	112.8	87.6	112.4	88.1	111.9
0.6	85.3	114.7	85.5	114.5	85.7	114.3	86.0	114.0	86.4	113.6	86.8	113.2	87.3	112.7	87.7	112.3	88.2	111.8
0.7	85.6	114.4	85.7	114.3	85.9	114.1	86.2	113.8	86.6	113.4	87.0	113.0	87.4	112.6	87.8	112.2	88.3	111.7
0.8	85.8	114.2	86.0	114.0	86.2	113.8	86.4	113.6	86.8	113.2	87.1	112.9	87.5	112.5	87.9	112.1	88.4	111.6
0.9	86.1	113.9	86.3	113.7	86.4	113.6	86.7	113.3	86.9	113.1	87.3	112.7	87.7	112.3	88.1	111.9	88.5	111.5
1.0	86.4	113.6	86.5	113.5	86.7	113.3	86.9	113.1	87.2	112.8	87.5	112.5	87.8	112.2	88.2	111.8	88.6	111.4
1.1	86.7	113.3	86.8	113.2	86.9	113.1	87.1	112.9	87.4	112.6	87.7	112.3	88.0	112.0	88.4	111.6	88.7	111.3
1.2	86.9	113.1	87.1	112.9	87.2	112.8	87.4	112.6	87.6	112.4	87.9	112.1	88.2	111.8	88.5	111.5	88.9	111.1
1.3	87.2	112.8	87.3	112.7	87.5	112.5	87.6	112.4	87.9	112.1	88.1	111.9	88.4	111.6	88.7	111.3	89.1	110.9
1.4	87.5	112.5	87.6	112.4	87.7	112.3	87.9	112.1	88.1	111.9	88.3	111.7	88.6	111.4	88.9	111.1	89.2	110.8
1.5	87.8	112.2	87.9	112.1	88.0	112.0	88.2	111.8	88.4	111.6	88.6	111.4	88.8	111.2	89.1	110.9	89.4	110.6
1.6	88.0	112.0	88.1	111.9	88.3	111.7	88.4	111.6	88.6	111.4	88.8	111.2	89.1	110.9	89.3	110.7	89.6	110.4
1.7	88.3	111.7	88.4	111.6	88.5	111.5	88.7	111.3	88.9	111.1	89.1	110.9	89.3	110.7	89.5	110.5	89.8	110.2
1.8	88.6	111.4	88.7	111.3	88.8	111.2	89.0	111.0	89.1	110.9	89.3	110.7	89.5	110.5	89.8	110.2	90.0	110.0
1.9	88.9	111.1	89.0	111.0	89.1	110.9	89.2	110.8	89.4	110.6	89.6	110.4	89.8	110.2	90.0	110.0	90.3	109.7
2.0	89.1	110.9	89.2	110.8	89.4	110.6	89.5	110.5	89.6	110.4	89.8	110.2	90.0	110.0	90.2	109.8	90.5	109.5
2.1	89.4	110.6	89.5	110.5	89.6	110.4	89.8	110.2	89.9	110.1	90.1	109.9	90.3	109.7	90.5	109.5	90.7	109.3
2.2	89.7	110.3	89.8	110.2	89.9	110.1	90.0	110.0	90.2	109.8	90.3	109.7	90.5	109.5	90.7	109.3	91.0	109.0
2.3	89.9	110.1	90.1	109.9	90.2	109.8	90.3	109.7	90.4	109.6	90.6	109.4	90.8	109.2	91.0	109.0	91.2	108.8
2.4	90.2	109.8	90.3	109.7	90.4	109.6	90.6	109.4	90.7	109.3	90.9	109.1	91.0	109.0	91.2	108.8	91.4	108.6
2.5	90.5	109.5	90.6	109.4	90.7	109.3	90.8	109.2	91.0	109.0	91.1	108.9	91.3	108.7	91.5	108.5	91.7	108.3
2.6	90.8	109.2	90.9	109.1	91.0	109.0	91.1	108.9	91.3	108.7	91.4	108.6	91.6	108.4	91.7	108.3	91.9	108.1
2.7	91.0	109.0	91.1	108.9	91.3	108.7	91.4	108.6	91.5	108.5	91.7	108.3	91.8	108.2	92.0	108.0	92.2	107.8
2.8	91.3	108.7	91.4	108.6	91.5	108.5	91.7	108.3	91.8	108.2	91.9	108.1	92.1	107.9	92.3	107.7	92.4	107.6
2.9	91.6	108.4	91.7	108.3	91.8	108.2	91.9	108.1	92.1	107.9	92.2	107.8	92.4	107.6	92.5	107.5	92.7	107.3
3.0	91.9	108.1	92.0	108.0	92.1	107.9	92.2	107.8	92.3	107.7	92.5	107.5	92.6	107.4	92.8	107.2	93.0	107.0
3.1	92.1	107.9	92.2	107.8	92.4	107.6	92.5	107.5	92.6	107.4	92.7	107.3	92.9	107.1	93.0	107.0	93.2	106.8
3.2	92.4	107.6	92.5	107.5	92.6	107.4	92.7	107.3	92.9	107.1	93.0	107.0	93.2	106.8	93.3	106.7	93.5	106.5
3.3	92.7	107.3	92.8	107.2	92.9	107.1	93.0	107.0	93.1	106.9	93.3	106.7	93.4	106.6	93.6	106.4	93.7	106.3
3.4	93.0	107.0	93.1	106.9	93.2	106.8	93.3	106.7	93.4	106.6	93.5	106.5	93.7	106.3	93.8	106.2	94.0	106.0
3.5	93.2	106.8	93.3	106.7	93.4	106.6	93.6	106.4	93.7	106.3	93.8	106.2	94.0	106.0	94.1	105.9	94.3	105.7
3.6	93.5	106.5	93.6	106.4	93.7	106.3	93.8	106.2	94.0	106.0	94.1	105.9	94.2	105.8	94.4	105.6	94.5	105.5
3.7	93.8	106.2	93.9	106.1	94.0	106.0	94.1	105.9	94.2	105.8	94.4	105.6	94.5	105.5	94.6	105.4	94.8	105.2
3.8	94.1	105.9	94.2	105.8	94.3	105.7	94.4	105.6	94.5	105.5	94.6	105.4	94.8	105.2	94.9	105.1	95.1	104.9
3.9	94.3	105.7	94.4	105.6	94.5	105.5	94.7	105.3	94.8	105.2	94.9	105.1	95.0	105.0	95.2	104.8	95.3	104.7
4.0	94.6	105.4	94.7	105.3	94.8	105.2	94.9	105.1	95.1	104.9	95.2	104.8	95.3	104.7	95.5	104.5	95.6	104.4

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY

SAMPLING PLAN 2

TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0

TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN

OF 60 ASSAYS- 4 ASSAYS AT EACH OF 15 DIFFERENT LOCATIONS

SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION

STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.1	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8	95.3	104.7	95.5	104.5	95.6	104.4	95.7	104.3	95.9	104.1
4.2	95.2	104.8	95.3	104.7	95.4	104.6	95.5	104.5	95.6	104.4	95.7	104.3	95.9	104.1	96.0	104.0	96.1	103.9
4.3	95.4	104.6	95.5	104.5	95.7	104.3	95.8	104.2	95.9	104.1	96.0	104.0	96.1	103.9	96.3	103.7	96.4	103.6
4.4	95.7	104.3	95.8	104.2	95.9	104.1	96.0	104.0	96.2	103.8	96.3	103.7	96.4	103.6	96.5	103.5	96.7	103.3
4.5	96.0	104.0	96.1	103.9	96.2	103.8	96.3	103.7	96.4	103.6	96.6	103.4	96.7	103.3	96.8	103.2	97.0	103.0
4.6	96.3	103.7	96.4	103.6	96.5	103.5	96.6	103.4	96.7	103.3	96.8	103.2	97.0	103.0	97.1	102.9	97.2	102.8
4.7	96.6	103.4	96.7	103.3	96.8	103.2	96.9	103.1	97.0	103.0	97.1	102.9	97.2	102.8	97.4	102.6	97.5	102.5
4.8	96.8	103.2	96.9	103.1	97.0	103.0	97.1	102.9	97.3	102.7	97.4	102.6	97.5	102.5	97.6	102.4	97.8	102.2
4.9	97.1	102.9	97.2	102.8	97.3	102.7	97.4	102.6	97.5	102.5	97.7	102.3	97.8	102.2	97.9	102.1	98.1	101.9
5.0	97.4	102.6	97.5	102.5	97.6	102.4	97.7	102.3	97.8	102.2	97.9	102.1	98.1	101.9	98.2	101.8	98.3	101.7
5.1	97.7	102.3	97.8	102.2	97.9	102.1	98.0	102.0	98.1	101.9	98.2	101.8	98.3	101.7	98.5	101.5	98.6	101.4
5.2	98.0	102.0	98.1	101.9	98.2	101.8	98.3	101.7	98.4	101.6	98.5	101.5	98.6	101.4	98.8	101.2	98.9	101.1
5.3	98.3	101.7	98.4	101.6	98.5	101.5	98.6	101.4	98.7	101.3	98.8	101.2	99.0	101.0	99.1	100.9	99.3	100.7
5.4	98.6	101.4	98.7	101.3	98.8	101.2	99.0	101.0	99.1	100.9	99.2	100.8	99.3	100.7	99.5	100.5	99.6	100.4
5.5	99.1	100.9	99.2	100.8	99.3	100.7	99.4	100.6	99.6	100.4	99.7	100.3	99.9	100.1	100.0	100.0		

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 4 ASSAYS AT EACH OF 15 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.0		1.1		1.2		1.3		1.4		1.5		1.6		1.7		1.8	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	88.4	111.6	88.9	111.1	89.4	110.6	89.9	110.1	90.4	109.6	90.9	109.1	91.3	108.7	91.8	108.2	92.3	107.7
0.2	88.4	111.6	88.9	111.1	89.4	110.6	89.9	110.1	90.4	109.6	90.9	109.1	91.4	108.6	91.8	108.2	92.3	107.7
0.3	88.5	111.5	89.0	111.0	89.4	110.6	89.9	110.1	90.4	109.6	90.9	109.1	91.4	108.6	91.9	108.1	92.3	107.7
0.4	88.5	111.5	89.0	111.0	89.5	110.5	90.0	110.0	90.4	109.6	90.9	109.1	91.4	108.6	91.9	108.1	92.4	107.6
0.5	88.6	111.4	89.0	111.0	89.5	110.5	90.0	110.0	90.5	109.5	91.0	109.0	91.4	108.6	91.9	108.1	92.4	107.6
0.6	88.6	111.4	89.1	110.9	89.6	110.4	90.0	110.0	90.5	109.5	91.0	109.0	91.5	108.5	92.0	108.0	92.4	107.6
0.7	88.7	111.3	89.2	110.8	89.6	110.4	90.1	109.9	90.6	109.4	91.0	109.0	91.5	108.5	92.0	108.0	92.5	107.5
0.8	88.8	111.2	89.3	110.7	89.7	110.3	90.2	109.8	90.6	109.4	91.1	108.9	91.6	108.4	92.1	107.9	92.5	107.5
0.9	88.9	111.1	89.3	110.7	89.8	110.2	90.3	109.7	90.7	109.3	91.2	108.8	91.6	108.4	92.1	107.9	92.6	107.4
1.0	89.0	111.0	89.5	110.5	89.9	110.1	90.3	109.7	90.8	109.2	91.3	108.7	91.7	108.3	92.2	107.8	92.6	107.4
1.1	89.1	110.9	89.6	110.4	90.0	110.0	90.4	109.6	90.9	109.1	91.3	108.7	91.8	108.2	92.3	107.7	92.7	107.3
1.2	89.3	110.7	89.7	110.3	90.1	109.9	90.5	109.5	91.0	109.0	91.4	108.6	91.9	108.1	92.3	107.7	92.8	107.2
1.3	89.4	110.6	89.8	110.2	90.2	109.8	90.7	109.3	91.1	108.9	91.5	108.5	92.0	108.0	92.4	107.6	92.9	107.1
1.4	89.6	110.4	90.0	110.0	90.4	109.6	90.8	109.2	91.2	108.8	91.6	108.4	92.1	107.9	92.5	107.5	93.0	107.0
1.5	89.8	110.2	90.1	109.9	90.5	109.5	90.9	109.1	91.3	108.7	91.8	108.2	92.2	107.8	92.6	107.4	93.1	106.9
1.6	90.0	110.0	90.3	109.7	90.7	109.3	91.1	108.9	91.5	108.5	91.9	108.1	92.3	107.7	92.7	107.3	93.2	106.8
1.7	90.1	109.9	90.5	109.5	90.8	109.2	91.2	108.8	91.6	108.4	92.0	108.0	92.4	107.6	92.9	107.1	93.3	106.7
1.8	90.3	109.7	90.7	109.3	91.0	109.0	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6
1.9	90.6	109.4	90.9	109.1	91.2	108.8	91.6	108.4	91.9	108.1	92.3	107.7	92.7	107.3	93.1	106.9	93.5	106.5
2.0	90.8	109.2	91.1	108.9	91.4	108.6	91.7	108.3	92.1	107.9	92.5	107.5	92.9	107.1	93.2	106.8	93.7	106.3
2.1	91.0	109.0	91.3	108.7	91.6	108.4	91.9	108.1	92.3	107.7	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2
2.2	91.2	108.8	91.5	108.5	91.8	108.2	92.1	107.9	92.4	107.6	92.8	107.2	93.2	106.8	93.5	106.5	93.9	106.1
2.3	91.4	108.6	91.7	108.3	92.0	108.0	92.3	107.7	92.6	107.4	93.0	107.0	93.3	106.7	93.7	106.3	94.1	105.9
2.4	91.7	108.3	91.9	108.1	92.2	107.8	92.5	107.5	92.8	107.2	93.2	106.8	93.5	106.5	93.9	106.1	94.2	105.8
2.5	91.9	108.1	92.2	107.8	92.4	107.6	92.7	107.3	93.0	107.0	93.3	106.7	93.7	106.3	94.0	106.0	94.4	105.6
2.6	92.2	107.8	92.4	107.6	92.7	107.3	92.9	107.1	93.2	106.8	93.5	106.5	93.9	106.1	94.2	105.8	94.6	105.4
2.7	92.4	107.6	92.6	107.4	92.9	107.1	93.2	106.8	93.4	106.6	93.7	106.3	94.1	105.9	94.4	105.6	94.8	105.2
2.8	92.7	107.3	92.9	107.1	93.1	106.9	93.4	106.6	93.7	106.3	94.0	106.0	94.3	105.7	94.6	105.4	94.9	105.1
2.9	92.9	107.1	93.1	106.9	93.4	106.6	93.6	106.4	93.9	106.1	94.2	105.8	94.5	105.5	94.8	105.2	95.1	104.9
3.0	93.2	106.8	93.4	106.6	93.6	106.4	93.8	106.2	94.1	105.9	94.4	105.6	94.7	105.3	95.0	105.0	95.3	104.7
3.1	93.4	106.6	93.6	106.4	93.8	106.2	94.1	105.9	94.3	105.7	94.6	105.4	94.9	105.1	95.2	104.8	95.5	104.5
3.2	93.7	106.3	93.9	106.1	94.1	105.9	94.3	105.7	94.6	105.4	94.8	105.2	95.1	104.9	95.4	104.6	95.7	104.3
3.3	93.9	106.1	94.1	105.9	94.3	105.7	94.6	105.4	94.8	105.2	95.1	104.9	95.3	104.7	95.6	104.4	95.9	104.1
3.4	94.2	105.8	94.4	105.6	94.6	105.4	94.8	105.2	95.0	105.0	95.3	104.7	95.5	104.5	95.8	104.2	96.1	103.9
3.5	94.4	105.6	94.6	105.4	94.8	105.2	95.0	105.0	95.3	104.7	95.5	104.5	95.8	104.2	96.0	104.0	96.3	103.7
3.6	94.7	105.3	94.9	105.1	95.1	104.9	95.3	104.7	95.5	104.5	95.8	104.2	96.0	104.0	96.3	103.7	96.6	103.4
3.7	95.0	105.0	95.1	104.9	95.3	104.7	95.5	104.5	95.8	104.2	96.0	104.0	96.2	103.8	96.5	103.5	96.8	103.2
3.8	95.2	104.8	95.4	104.6	95.6	104.4	95.8	104.2	96.0	104.0	96.2	103.8	96.5	103.5	96.7	103.3	97.0	103.0
3.9	95.5	104.5	95.7	104.3	95.9	104.1	96.1	103.9	96.3	103.7	96.5	103.5	96.7	103.3	97.0	103.0	97.2	102.8
4.0	95.8	104.2	95.9	104.1	96.1	103.9	96.3	103.7	96.5	103.5	96.7	103.3	97.0	103.0	97.2	102.8	97.5	102.5

[illegible]

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
 SAMPLING PLAN 2
 TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
 TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
 OF 60 ASSAYS- 4 ASSAYS AT EACH OF 15 DIFFERENT LOCATIONS
 SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
 STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.9		2.0		2.1		2.2		2.3		2.4		2.5		2.6		2.7	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	92.8	107.2	93.3	106.7	93.8	106.2	94.3	105.7	94.8	105.2	95.2	104.8	95.7	104.3	96.2	103.8	96.7	103.3
0.2	92.8	107.2	93.3	106.7	93.8	106.2	94.3	105.7	94.8	105.2	95.2	104.8	95.7	104.3	96.2	103.8	96.7	103.3
0.3	92.8	107.2	93.3	106.7	93.8	106.2	94.3	105.7	94.8	105.2	95.3	104.7	95.7	104.3	96.2	103.8	96.7	103.3
0.4	92.9	107.1	93.3	106.7	93.8	106.2	94.3	105.7	94.8	105.2	95.3	104.7	95.8	104.2	96.3	103.7	96.7	103.3
0.5	92.9	107.1	93.4	106.6	93.8	106.2	94.3	105.7	94.8	105.2	95.3	104.7	95.8	104.2	96.3	103.7	96.8	103.2
0.6	92.9	107.1	93.4	106.6	93.9	106.1	94.4	105.6	94.8	105.2	95.3	104.7	95.8	104.2	96.3	103.7	96.8	103.2
0.7	93.0	107.0	93.4	106.6	93.9	106.1	94.4	105.6	94.9	105.1	95.4	104.6	95.8	104.2	96.3	103.7	96.8	103.2
0.8	93.0	107.0	93.5	106.5	94.0	106.0	94.4	105.6	94.9	105.1	95.4	104.6	95.9	104.1	96.4	103.6	96.8	103.2
0.9	93.1	106.9	93.5	106.5	94.0	106.0	94.5	105.5	95.0	105.0	95.4	104.6	95.9	104.1	96.4	103.6	96.9	103.1
1.0	93.1	106.9	93.6	106.4	94.1	105.9	94.5	105.5	95.0	105.0	95.5	104.5	96.0	104.0	96.4	103.6	96.9	103.1
1.1	93.2	106.8	93.7	106.3	94.1	105.9	94.6	105.4	95.1	104.9	95.5	104.5	96.0	104.0	96.5	103.5	97.0	103.0
1.2	93.3	106.7	93.7	106.3	94.2	105.8	94.7	105.3	95.1	104.9	95.6	104.4	96.1	103.9	96.6	103.4	97.0	103.0
1.3	93.3	106.7	93.8	106.2	94.3	105.7	94.7	105.3	95.2	104.8	95.7	104.3	96.1	103.9	96.6	103.4	97.1	102.9
1.4	93.4	106.6	93.9	106.1	94.3	105.7	94.8	105.2	95.3	104.7	95.7	104.3	96.2	103.8	96.7	103.3	97.1	102.9
1.5	93.5	106.5	94.0	106.0	94.4	105.6	94.9	105.1	95.3	104.7	95.8	104.2	96.3	103.7	96.7	103.3	97.2	102.8
1.6	93.6	106.4	94.1	105.9	94.5	105.5	95.0	105.0	95.4	104.6	95.9	104.1	96.3	103.7	96.8	103.2	97.3	102.7
1.7	93.7	106.3	94.2	105.8	94.6	105.4	95.1	104.9	95.5	104.5	96.0	104.0	96.4	103.6	96.9	103.1	97.4	102.6
1.8	93.8	106.2	94.3	105.7	94.7	105.3	95.2	104.8	95.6	104.4	96.1	103.9	96.5	103.5	97.0	103.0	97.4	102.6
1.9	93.9	106.1	94.4	105.6	94.8	105.2	95.3	104.7	95.7	104.3	96.1	103.9	96.6	103.4	97.1	102.9	97.5	102.5
2.0	94.1	105.9	94.5	105.5	94.9	105.1	95.4	104.6	95.8	104.2	96.2	103.8	96.7	103.3	97.1	102.9	97.6	102.4
2.1	94.2	105.8	94.6	105.4	95.0	105.0	95.5	104.5	95.9	104.1	96.4	103.6	96.8	103.2	97.2	102.8	97.7	102.3
2.2	94.3	105.7	94.8	105.2	95.2	104.8	95.6	104.4	96.0	104.0	96.5	103.5	96.9	103.1	97.3	102.7	97.8	102.2
2.3	94.5	105.5	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9	96.6	103.4	97.0	103.0	97.5	102.5	97.9	102.1
2.4	94.6	105.4	95.0	105.0	95.4	104.6	95.8	104.2	96.3	103.7	96.7	103.3	97.1	102.9	97.6	102.4	98.0	102.0
2.5	94.8	105.2	95.2	104.8	95.6	104.4	96.0	104.0	96.4	103.6	96.8	103.2	97.2	102.8	97.7	102.3	98.1	101.9
2.6	95.0	105.0	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.4	102.6	97.8	102.2	98.2	101.8
2.7	95.1	104.9	95.5	104.5	95.9	104.1	96.3	103.7	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.4	101.6
2.8	95.3	104.7	95.7	104.3	96.0	104.0	96.4	103.6	96.8	103.2	97.2	102.8	97.6	102.4	98.1	101.9	98.5	101.5
2.9	95.5	104.5	95.8	104.2	96.2	103.8	96.6	103.4	97.0	103.0	97.4	102.6	97.8	102.2	98.2	101.8	98.6	101.4
3.0	95.7	104.3	96.0	104.0	96.4	103.6	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.3	101.7	98.7	101.3
3.1	95.8	104.2	96.2	103.8	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9	98.5	101.5	98.9	101.1
3.2	96.0	104.0	96.4	103.6	96.7	103.3	97.1	102.9	97.5	102.5	97.8	102.2	98.2	101.8	98.6	101.4	99.0	101.0
3.3	96.2	103.8	96.6	103.4	96.9	103.1	97.3	102.7	97.6	102.4	98.0	102.0	98.4	101.6	98.8	101.2	99.2	100.8
3.4	96.4	103.6	96.8	103.2	97.1	102.9	97.4	102.6	97.8	102.2	98.2	101.8	98.5	101.5	98.9	101.1	99.3	100.7
3.5	96.6	103.4	97.0	103.0	97.3	102.7	97.6	102.4	98.0	102.0	98.3	101.7	98.7	101.3	99.1	100.9	99.5	100.5
3.6	96.9	103.1	97.2	102.8	97.5	102.5	97.8	102.2	98.2	101.8	98.5	101.5	98.9	101.1	99.3	100.7	99.6	100.4
3.7	97.1	102.9	97.4	102.6	97.7	102.3	98.0	102.0	98.3	101.7	98.7	101.3	99.1	100.9	99.4	100.6	99.8	100.2
3.8	97.3	102.7	97.6	102.4	97.9	102.1	98.2	101.8	98.5	101.5	98.9	101.1	99.2	100.8	99.6	100.4	100.0	100.0
3.9	97.5	102.5	97.8	102.2	98.1	101.9	98.4	101.6	98.7	101.3	99.1	100.9	99.4	100.6	99.8	100.2		
4.0	97.7	102.3	98.0	102.0	98.3	101.7	98.6	101.4	98.9	101.1	99.3	100.7	99.6	100.4	100.0	100.0		

[illegible]

SAMPLING PLAN 2

STANDARD DEVIATION OF LOCATION MEANS

	2.8		2.9		3.0		3.1		3.2		3.3		3.4		3.5		3.6	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	97.2	102.8	97.7	102.3	98.2	101.8	98.7	101.3	99.2	100.8	99.7	100.3						
0.2	97.2	102.8	97.7	102.3	98.2	101.8	98.7	101.3	99.2	100.8	99.7	100.3						
0.3	97.2	102.8	97.7	102.3	98.2	101.8	98.7	101.3	99.2	100.8	99.7	100.3						
0.4	97.2	102.8	97.7	102.3	98.2	101.8	98.7	101.3	99.2	100.8	99.7	100.3						
0.5	97.2	102.8	97.7	102.3	98.2	101.8	98.7	101.3	99.2	100.8	99.7	100.3						
0.6	97.3	102.7	97.8	102.2	98.3	101.7	98.7	101.3	99.2	100.8	99.7	100.3						
0.7	97.3	102.7	97.8	102.2	98.3	101.7	98.8	101.2	99.3	100.7	99.7	100.3						
0.8	97.3	102.7	97.8	102.2	98.3	101.7	98.8	101.2	99.3	100.7	99.8	100.2						
0.9	97.4	102.6	97.9	102.1	98.3	101.7	98.8	101.2	99.3	100.7	99.8	100.2						
1.0	97.4	102.6	97.9	102.1	98.4	101.6	98.9	101.1	99.4	100.6	99.8	100.2						
1.1	97.5	102.5	97.9	102.1	98.4	101.6	98.9	101.1	99.4	100.6	99.9	100.1						
1.2	97.5	102.5	98.0	102.0	98.5	101.5	99.0	101.0	99.4	100.6	99.9	100.1						
1.3	97.6	102.4	98.0	102.0	98.5	101.5	99.0	101.0	99.5	100.5	100.0	100.0						
1.4	97.6	102.4	98.1	101.9	98.6	101.4	99.1	100.9	99.5	100.5	100.0	100.0						
1.5	97.7	102.3	98.2	101.8	98.6	101.4	99.1	100.9	99.6	100.4								
1.6	97.7	102.3	98.2	101.8	98.7	101.3	99.2	100.8	99.7	100.3								
1.7	97.8	102.2	98.3	101.7	98.8	101.2	99.2	100.8	99.7	100.3								
1.8	97.9	102.1	98.4	101.6	98.8	101.2	99.3	100.7	99.8	100.2								
1.9	98.0	102.0	98.4	101.6	98.9	101.1	99.4	100.6	99.9	100.1								
2.0	98.1	101.9	98.5	101.5	99.0	101.0	99.5	100.5	99.9	100.1								
2.1	98.2	101.8	98.6	101.4	99.1	100.9	99.5	100.5	100.0	100.0								
2.2	98.2	101.8	98.7	101.3	99.2	100.8	99.6	100.4										
2.3	98.3	101.7	98.8	101.2	99.3	100.7	99.7	100.3										
2.4	98.4	101.6	98.9	101.1	99.4	100.6	99.8	100.2										
2.5	98.6	101.4	99.0	101.0	99.5	100.5	99.9	100.1										
2.6	98.7	101.3	99.1	100.9	99.6	100.4	100.0	100.0										
2.7	98.8	101.2	99.2	100.8	99.7	100.3												
2.8	98.9	101.1	99.3	100.7	99.8	100.2												
2.9	99.0	101.0	99.5	100.5	99.9	100.1												
3.0	99.2	100.8	99.6	100.4	100.0	100.0												
3.1	99.3	100.7	99.7	100.3														
3.2	99.4	100.6	99.9	100.1														
3.3	99.6	100.4	100.0	100.0														
3.4	99.7	100.3																
3.5	99.9	100.1																
3.6	100.0	100.0																

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

SE	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	84.8	115.2	84.7	115.3	84.9	115.1	85.3	114.7	85.8	114.2	86.2	113.8	86.6	113.4	87.1	112.9	87.5	112.5
0.2	84.7	115.3	84.6	115.4	84.9	115.1	85.4	114.6	85.8	114.2	86.2	113.8	86.7	113.3	87.1	112.9	87.5	112.5
0.3	84.6	115.4	84.7	115.3	85.0	115.0	85.4	114.6	85.9	114.1	86.3	113.7	86.7	113.3	87.1	112.9	87.6	112.4
0.4	84.7	115.3	84.9	115.1	85.2	114.8	85.5	114.5	85.9	114.1	86.3	113.7	86.8	113.2	87.2	112.8	87.6	112.4
0.5	85.0	115.0	85.1	114.9	85.4	114.6	85.7	114.3	86.0	114.0	86.4	113.6	86.8	113.2	87.3	112.7	87.7	112.3
0.6	85.2	114.8	85.4	114.6	85.6	114.4	85.8	114.2	86.2	113.8	86.5	113.5	86.9	113.1	87.3	112.7	87.7	112.3
0.7	85.5	114.5	85.6	114.4	85.8	114.2	86.0	114.0	86.3	113.7	86.7	113.3	87.0	113.0	87.4	112.6	87.8	112.2
0.8	85.7	114.3	85.9	114.1	86.0	114.0	86.2	113.8	86.5	113.5	86.8	113.2	87.2	112.8	87.5	112.5	87.9	112.1
0.9	86.0	114.0	86.1	113.9	86.3	113.7	86.5	113.5	86.7	113.3	87.0	113.0	87.3	112.7	87.7	112.3	88.0	112.0
1.0	86.3	113.7	86.4	113.6	86.5	113.5	86.7	113.3	86.9	113.1	87.2	112.8	87.5	112.5	87.8	112.2	88.2	111.8
1.1	86.5	113.5	86.6	113.4	86.8	113.2	86.9	113.1	87.1	112.9	87.4	112.6	87.7	112.3	88.0	112.0	88.3	111.7
1.2	86.8	113.2	86.9	113.1	87.0	113.0	87.2	112.8	87.4	112.6	87.6	112.4	87.9	112.1	88.1	111.9	88.5	111.5
1.3	87.0	113.0	87.1	112.9	87.3	112.7	87.4	112.6	87.6	112.4	87.8	112.2	88.1	111.9	88.3	111.7	88.6	111.4
1.4	87.3	112.7	87.4	112.6	87.5	112.5	87.7	112.3	87.8	112.2	88.0	112.0	88.3	111.7	88.5	111.5	88.8	111.2
1.5	87.6	112.4	87.7	112.3	87.8	112.2	87.9	112.1	88.1	111.9	88.3	111.7	88.5	111.5	88.7	111.3	89.0	111.0
1.6	87.8	112.2	87.9	112.1	88.0	112.0	88.2	111.8	88.3	111.7	88.5	111.5	88.7	111.3	88.9	111.1	89.2	110.8
1.7	88.1	111.9	88.2	111.8	88.3	111.7	88.4	111.6	88.6	111.4	88.7	111.3	88.9	111.1	89.2	110.8	89.4	110.6
1.8	88.4	111.6	88.4	111.6	88.6	111.4	88.7	111.3	88.8	111.2	89.0	111.0	89.2	110.8	89.4	110.6	89.6	110.4
1.9	88.6	111.4	88.7	111.3	88.8	111.2	88.9	111.1	89.1	110.9	89.2	110.8	89.4	110.6	89.6	110.4	89.8	110.2
2.0	88.9	111.1	89.0	111.0	89.1	110.9	89.2	110.8	89.3	110.7	89.5	110.5	89.6	110.4	89.8	110.2	90.0	110.0
2.1	89.1	110.9	89.2	110.8	89.3	110.7	89.4	110.6	89.6	110.4	89.7	110.3	89.9	110.1	90.1	109.9	90.3	109.7
2.2	89.4	110.6	89.5	110.5	89.6	110.4	89.7	110.3	89.8	110.2	90.0	110.0	90.1	109.9	90.3	109.7	90.5	109.5
2.3	89.7	110.3	89.8	110.2	89.9	110.1	90.0	110.0	90.1	109.9	90.2	109.8	90.4	109.6	90.6	109.4	90.7	109.3
2.4	89.9	110.1	90.0	110.0	90.1	109.9	90.2	109.8	90.3	109.7	90.5	109.5	90.6	109.4	90.8	109.2	91.0	109.0
2.5	90.2	109.8	90.3	109.7	90.4	109.6	90.5	109.5	90.6	109.4	90.7	109.3	90.9	109.1	91.0	109.0	91.2	108.8
2.6	90.5	109.5	90.5	109.5	90.6	109.4	90.7	109.3	90.9	109.1	91.0	109.0	91.1	108.9	91.3	108.7	91.5	108.5
2.7	90.7	109.3	90.8	109.2	90.9	109.1	91.0	109.0	91.1	108.9	91.2	108.8	91.4	108.6	91.5	108.5	91.7	108.3
2.8	91.0	109.0	91.1	108.9	91.2	108.8	91.3	108.7	91.4	108.6	91.5	108.5	91.6	108.4	91.8	108.2	91.9	108.1
2.9	91.2	108.8	91.3	108.7	91.4	108.6	91.5	108.5	91.6	108.4	91.8	108.2	91.9	108.1	92.0	108.0	92.2	107.8
3.0	91.5	108.5	91.6	108.4	91.7	108.3	91.8	108.2	91.9	108.1	92.0	108.0	92.1	107.9	92.3	107.7	92.4	107.6
3.1	91.8	108.2	91.8	108.2	91.9	108.1	92.0	108.0	92.2	107.8	92.3	107.7	92.4	107.6	92.5	107.5	92.7	107.3
3.2	92.0	108.0	92.1	107.9	92.2	107.8	92.3	107.7	92.4	107.6	92.5	107.5	92.7	107.3	92.8	107.2	92.9	107.1
3.3	92.3	107.7	92.4	107.6	92.5	107.5	92.6	107.4	92.7	107.3	92.8	107.2	92.9	107.1	93.0	107.0	93.2	106.8
3.4	92.6	107.4	92.6	107.4	92.7	107.3	92.8	107.2	92.9	107.1	93.0	107.0	93.2	106.8	93.3	106.7	93.4	106.6
3.5	92.8	107.2	92.9	107.1	93.0	107.0	93.1	106.9	93.2	106.8	93.3	106.7	93.4	106.6	93.6	106.4	93.7	106.3
3.6	93.1	106.9	93.2	106.8	93.3	106.7	93.3	106.7	93.5	106.5	93.6	106.4	93.7	106.3	93.8	106.2	94.0	106.0
3.7	93.3	106.7	93.4	106.6	93.5	106.5	93.6	106.4	93.7	106.3	93.8	106.2	93.9	106.1	94.1	105.9	94.2	105.8
3.8	93.6	106.4	93.7	106.3	93.8	106.2	93.9	106.1	94.0	106.0	94.1	105.9	94.2	105.8	94.3	105.7	94.5	105.5
3.9	93.9	106.1	94.0	106.0	94.0	106.0	94.1	105.9	94.2	105.8	94.3	105.7	94.5	105.5	94.6	105.4	94.7	105.3
4.0	94.1	105.9	94.2	105.8	94.3	105.7	94.4	105.6	94.5	105.5	94.6	105.4	94.7	105.3	94.8	105.2	95.0	105.0

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY

SAMPLING PLAN 2

TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0

TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN

OF 60 ASSAYS- 3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS

SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION

STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

SE	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.1	94.4	105.6	94.5	105.5	94.6	105.4	94.7	105.3	94.8	105.2	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8
4.2	94.7	105.3	94.7	105.3	94.8	105.2	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8	95.4	104.6	95.5	104.5
4.3	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8	95.3	104.7	95.4	104.6	95.5	104.5	95.6	104.4	95.7	104.3
4.4	95.2	104.8	95.3	104.7	95.4	104.6	95.5	104.5	95.6	104.4	95.7	104.3	95.8	104.2	95.9	104.1	96.0	104.0
4.5	95.5	104.5	95.5	104.5	95.6	104.4	95.7	104.3	95.8	104.2	95.9	104.1	96.0	104.0	96.1	103.9	96.3	103.7
4.6	95.7	104.3	95.8	104.2	95.9	104.1	96.0	104.0	96.1	103.9	96.2	103.8	96.3	103.7	96.4	103.6	96.5	103.5
4.7	96.0	104.0	96.1	103.9	96.2	103.8	96.2	103.8	96.3	103.7	96.4	103.6	96.6	103.4	96.7	103.3	96.8	103.2
4.8	96.3	103.7	96.3	103.7	96.4	103.6	96.5	103.5	96.6	103.4	96.7	103.3	96.8	103.2	96.9	103.1	97.1	102.9
4.9	96.5	103.5	96.6	103.4	96.7	103.3	96.8	103.2	96.9	103.1	97.0	103.0	97.1	102.9	97.2	102.8	97.3	102.7
5.0	96.8	103.2	96.9	103.1	97.0	103.0	97.0	103.0	97.1	102.9	97.2	102.8	97.3	102.7	97.5	102.5	97.6	102.4
5.1	97.1	102.9	97.1	102.9	97.2	102.8	97.3	102.7	97.4	102.6	97.5	102.5	97.6	102.4	97.7	102.3	97.8	102.2
5.2	97.3	102.7	97.4	102.6	97.5	102.5	97.6	102.4	97.7	102.3	97.8	102.2	97.9	102.1	98.0	102.0	98.1	101.9
5.3	97.6	102.4	97.7	102.3	97.8	102.2	97.9	102.1	97.9	102.1	98.0	102.0	98.2	101.8	98.3	101.7	98.4	101.6
5.4	97.9	102.1	98.0	102.0	98.0	102.0	98.1	101.9	98.2	101.8	98.3	101.7	98.4	101.6	98.5	101.5	98.7	101.3
5.5	98.2	101.8	98.2	101.8	98.3	101.7	98.4	101.6	98.5	101.5	98.6	101.4	98.7	101.3	98.8	101.2	99.0	101.0
5.6	98.5	101.5	98.6	101.4	98.7	101.3	98.8	101.2	98.8	101.2	99.0	101.0	99.1	100.9	99.2	100.8	99.3	100.7
5.7	98.9	101.1	99.0	101.0	99.0	101.0	99.1	100.9	99.2	100.8	99.4	100.6	99.5	100.5	99.6	100.4	99.8	100.2
5.8	99.4	100.6	99.5	100.5	99.6	100.4	99.7	100.3	99.9	100.1								

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.0		1.1		1.2		1.3		1.4		1.5		1.6		1.7		1.8	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	88.0	112.0	88.4	111.6	88.8	111.2	89.3	110.7	89.7	110.3	90.2	109.8	90.6	109.4	91.0	109.0	91.5	108.5
0.2	88.0	112.0	88.4	111.6	88.8	111.2	89.3	110.7	89.7	110.3	90.2	109.8	90.6	109.4	91.0	109.0	91.5	108.5
0.3	88.0	112.0	88.4	111.6	88.9	111.1	89.3	110.7	89.7	110.3	90.2	109.8	90.6	109.4	91.1	108.9	91.5	108.5
0.4	88.0	112.0	88.5	111.5	88.9	111.1	89.3	110.7	89.8	110.2	90.2	109.8	90.6	109.4	91.1	108.9	91.5	108.5
0.5	88.1	111.9	88.5	111.5	88.9	111.1	89.4	110.6	89.8	110.2	90.2	109.8	90.7	109.3	91.1	108.9	91.5	108.5
0.6	88.2	111.8	88.6	111.4	89.0	111.0	89.4	110.6	89.9	110.1	90.3	109.7	90.7	109.3	91.1	108.9	91.6	108.4
0.7	88.2	111.8	88.6	111.4	89.1	110.9	89.5	110.5	89.9	110.1	90.3	109.7	90.8	109.2	91.2	108.8	91.6	108.4
0.8	88.3	111.7	88.7	111.3	89.1	110.9	89.6	110.4	90.0	110.0	90.4	109.6	90.8	109.2	91.2	108.8	91.7	108.3
0.9	88.4	111.6	88.8	111.2	89.2	110.8	89.6	110.4	90.0	110.0	90.5	109.5	90.9	109.1	91.3	108.7	91.7	108.3
1.0	88.5	111.5	88.9	111.1	89.3	110.7	89.7	110.3	90.1	109.9	90.5	109.5	91.0	109.0	91.4	108.6	91.8	108.2
1.1	88.7	111.3	89.0	111.0	89.4	110.6	89.8	110.2	90.2	109.8	90.6	109.4	91.0	109.0	91.4	108.6	91.9	108.1
1.2	88.8	111.2	89.2	110.8	89.5	110.5	89.9	110.1	90.3	109.7	90.7	109.3	91.1	108.9	91.5	108.5	91.9	108.1
1.3	89.0	111.0	89.3	110.7	89.7	110.3	90.0	110.0	90.4	109.6	90.8	109.2	91.2	108.8	91.6	108.4	92.0	108.0
1.4	89.1	110.9	89.5	110.5	89.8	110.2	90.2	109.8	90.5	109.5	90.9	109.1	91.3	108.7	91.7	108.3	92.1	107.9
1.5	89.3	110.7	89.6	110.4	89.9	110.1	90.3	109.7	90.7	109.3	91.0	109.0	91.4	108.6	91.8	108.2	92.2	107.8
1.6	89.5	110.5	89.8	110.2	90.1	109.9	90.4	109.6	90.8	109.2	91.2	108.8	91.5	108.5	91.9	108.1	92.3	107.7
1.7	89.7	110.3	90.0	110.0	90.3	109.7	90.6	109.4	90.9	109.1	91.3	108.7	91.7	108.3	92.0	108.0	92.4	107.6
1.8	89.9	110.1	90.1	109.9	90.4	109.6	90.8	109.2	91.1	108.9	91.4	108.6	91.8	108.2	92.2	107.8	92.5	107.5
1.9	90.1	109.9	90.3	109.7	90.6	109.4	90.9	109.1	91.2	108.8	91.6	108.4	91.9	108.1	92.3	107.7	92.7	107.3
2.0	90.3	109.7	90.5	109.5	90.8	109.2	91.1	108.9	91.4	108.6	91.7	108.3	92.1	107.9	92.4	107.6	92.8	107.2
2.1	90.5	109.5	90.7	109.3	91.0	109.0	91.3	108.7	91.6	108.4	91.9	108.1	92.2	107.8	92.6	107.4	92.9	107.1
2.2	90.7	109.3	91.0	109.0	91.2	108.8	91.5	108.5	91.8	108.2	92.1	107.9	92.4	107.6	92.7	107.3	93.1	106.9
2.3	90.9	109.1	91.2	108.8	91.4	108.6	91.7	108.3	92.0	108.0	92.3	107.7	92.6	107.4	92.9	107.1	93.2	106.8
2.4	91.2	108.8	91.4	108.6	91.6	108.4	91.9	108.1	92.2	107.8	92.4	107.6	92.7	107.3	93.1	106.9	93.4	106.6
2.5	91.4	108.6	91.6	108.4	91.8	108.2	92.1	107.9	92.4	107.6	92.6	107.4	92.9	107.1	93.2	106.8	93.5	106.5
2.6	91.6	108.4	91.8	108.2	92.1	107.9	92.3	107.7	92.6	107.4	92.8	107.2	93.1	106.9	93.4	106.6	93.7	106.3
2.7	91.9	108.1	92.1	107.9	92.3	107.7	92.5	107.5	92.8	107.2	93.0	107.0	93.3	106.7	93.6	106.4	93.9	106.1
2.8	92.1	107.9	92.3	107.7	92.5	107.5	92.7	107.3	93.0	107.0	93.2	106.8	93.5	106.5	93.8	106.2	94.1	105.9
2.9	92.4	107.6	92.5	107.5	92.7	107.3	93.0	107.0	93.2	106.8	93.4	106.6	93.7	106.3	94.0	106.0	94.3	105.7
3.0	92.6	107.4	92.8	107.2	93.0	107.0	93.2	106.8	93.4	106.6	93.7	106.3	93.9	106.1	94.2	105.8	94.4	105.6
3.1	92.9	107.1	93.0	107.0	93.2	106.8	93.4	106.6	93.6	106.4	93.9	106.1	94.1	105.9	94.4	105.6	94.6	105.4
3.2	93.1	106.9	93.3	106.7	93.5	106.5	93.7	106.3	93.9	106.1	94.1	105.9	94.3	105.7	94.6	105.4	94.8	105.2
3.3	93.3	106.7	93.5	106.5	93.7	106.3	93.9	106.1	94.1	105.9	94.3	105.7	94.5	105.5	94.8	105.2	95.0	105.0
3.4	93.6	106.4	93.8	106.2	93.9	106.1	94.1	105.9	94.3	105.7	94.5	105.5	94.8	105.2	95.0	105.0	95.3	104.7
3.5	93.8	106.2	94.0	106.0	94.2	105.8	94.4	105.6	94.6	105.4	94.8	105.2	95.0	105.0	95.2	104.8	95.5	104.5
3.6	94.1	105.9	94.3	105.7	94.4	105.6	94.6	105.4	94.8	105.2	95.0	105.0	95.2	104.8	95.4	104.6	95.7	104.3
3.7	94.4	105.6	94.5	105.5	94.7	105.3	94.8	105.2	95.0	105.0	95.2	104.8	95.4	104.6	95.7	104.3	95.9	104.1
3.8	94.6	105.4	94.8	105.2	94.9	105.1	95.1	104.9	95.3	104.7	95.5	104.5	95.7	104.3	95.9	104.1	96.1	103.9
3.9	94.9	105.1	95.0	105.0	95.2	104.8	95.3	104.7	95.5	104.5	95.7	104.3	95.9	104.1	96.1	103.9	96.3	103.7
4.0	95.1	104.9	95.3	104.7	95.4	104.6	95.6	104.4	95.8	104.2	95.9	104.1	96.1	103.9	96.3	103.7	96.6	103.4

[illegible]

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.9		2.0		2.1		2.2		2.3		2.4		2.5		2.6		2.7	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	91.9	108.1	92.3	107.7	92.8	107.2	93.2	106.8	93.7	106.3	94.1	105.9	94.5	105.5	95.0	105.0	95.4	104.6
0.2	91.9	108.1	92.4	107.6	92.8	107.2	93.2	106.8	93.7	106.3	94.1	105.9	94.6	105.4	95.0	105.0	95.4	104.6
0.3	91.9	108.1	92.4	107.6	92.8	107.2	93.2	106.8	93.7	106.3	94.1	105.9	94.6	105.4	95.0	105.0	95.4	104.6
0.4	92.0	108.0	92.4	107.6	92.8	107.2	93.3	106.7	93.7	106.3	94.1	105.9	94.6	105.4	95.0	105.0	95.5	104.5
0.5	92.0	108.0	92.4	107.6	92.9	107.1	93.3	106.7	93.7	106.3	94.2	105.8	94.6	105.4	95.0	105.0	95.5	104.5
0.6	92.0	108.0	92.4	107.6	92.9	107.1	93.3	106.7	93.8	106.2	94.2	105.8	94.6	105.4	95.1	104.9	95.5	104.5
0.7	92.1	107.9	92.5	107.5	92.9	107.1	93.4	106.6	93.8	106.2	94.2	105.8	94.7	105.3	95.1	104.9	95.5	104.5
0.8	92.1	107.9	92.5	107.5	93.0	107.0	93.4	106.6	93.8	106.2	94.3	105.7	94.7	105.3	95.1	104.9	95.6	104.4
0.9	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.9	106.1	94.3	105.7	94.7	105.3	95.2	104.8	95.6	104.4
1.0	92.2	107.8	92.6	107.4	93.1	106.9	93.5	106.5	93.9	106.1	94.3	105.7	94.8	105.2	95.2	104.8	95.6	104.4
1.1	92.3	107.7	92.7	107.3	93.1	106.9	93.5	106.5	94.0	106.0	94.4	105.6	94.8	105.2	95.3	104.7	95.7	104.3
1.2	92.3	107.7	92.8	107.2	93.2	106.8	93.6	106.4	94.0	106.0	94.5	105.5	94.9	105.1	95.3	104.7	95.7	104.3
1.3	92.4	107.6	92.8	107.2	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5	94.9	105.1	95.4	104.6	95.8	104.2
1.4	92.5	107.5	92.9	107.1	93.3	106.7	93.7	106.3	94.2	105.8	94.6	105.4	95.0	105.0	95.4	104.6	95.9	104.1
1.5	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8	94.7	105.3	95.1	104.9	95.5	104.5	95.9	104.1
1.6	92.7	107.3	93.1	106.9	93.5	106.5	93.9	106.1	94.3	105.7	94.7	105.3	95.1	104.9	95.6	104.4	96.0	104.0
1.7	92.8	107.2	93.2	106.8	93.6	106.4	94.0	106.0	94.4	105.6	94.8	105.2	95.2	104.8	95.6	104.4	96.1	103.9
1.8	92.9	107.1	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9
1.9	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8	94.6	105.4	95.0	105.0	95.4	104.6	95.8	104.2	96.2	103.8
2.0	93.2	106.8	93.5	106.5	93.9	106.1	94.3	105.7	94.7	105.3	95.1	104.9	95.5	104.5	95.9	104.1	96.3	103.7
2.1	93.3	106.7	93.7	106.3	94.0	106.0	94.4	105.6	94.8	105.2	95.2	104.8	95.6	104.4	96.0	104.0	96.4	103.6
2.2	93.4	106.6	93.8	106.2	94.2	105.8	94.5	105.5	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5
2.3	93.6	106.4	93.9	106.1	94.3	105.7	94.7	105.3	95.0	105.0	95.4	104.6	95.8	104.2	96.2	103.8	96.6	103.4
2.4	93.7	106.3	94.1	105.9	94.4	105.6	94.8	105.2	95.2	104.8	95.5	104.5	95.9	104.1	96.3	103.7	96.7	103.3
2.5	93.9	106.1	94.2	105.8	94.6	105.4	94.9	105.1	95.3	104.7	95.7	104.3	96.0	104.0	96.4	103.6	96.8	103.2
2.6	94.0	106.0	94.4	105.6	94.7	105.3	95.1	104.9	95.4	104.6	95.8	104.2	96.2	103.8	96.5	103.5	96.9	103.1
2.7	94.2	105.8	94.5	105.5	94.9	105.1	95.2	104.8	95.6	104.4	95.9	104.1	96.3	103.7	96.7	103.3	97.0	103.0
2.8	94.4	105.6	94.7	105.3	95.0	105.0	95.4	104.6	95.7	104.3	96.1	103.9	96.4	103.6	96.8	103.2	97.2	102.8
2.9	94.6	105.4	94.9	105.1	95.2	104.8	95.5	104.5	95.9	104.1	96.2	103.8	96.6	103.4	96.9	103.1	97.3	102.7
3.0	94.7	105.3	95.0	105.0	95.4	104.6	95.7	104.3	96.0	104.0	96.4	103.6	96.7	103.3	97.1	102.9	97.4	102.6
3.1	94.9	105.1	95.2	104.8	95.5	104.5	95.8	104.2	96.2	103.8	96.5	103.5	96.9	103.1	97.2	102.8	97.6	102.4
3.2	95.1	104.9	95.4	104.6	95.7	104.3	96.0	104.0	96.3	103.7	96.7	103.3	97.0	103.0	97.4	102.6	97.7	102.3
3.3	95.3	104.7	95.6	104.4	95.9	104.1	96.2	103.8	96.5	103.5	96.8	103.2	97.2	102.8	97.5	102.5	97.9	102.1
3.4	95.5	104.5	95.8	104.2	96.1	103.9	96.4	103.6	96.7	103.3	97.0	103.0	97.3	102.7	97.7	102.3	98.0	102.0
3.5	95.7	104.3	96.0	104.0	96.3	103.7	96.6	103.4	96.9	103.1	97.2	102.8	97.5	102.5	97.8	102.2	98.2	101.8
3.6	95.9	104.1	96.2	103.8	96.5	103.5	96.8	103.2	97.0	103.0	97.4	102.6	97.7	102.3	98.0	102.0	98.3	101.7
3.7	96.1	103.9	96.4	103.6	96.7	103.3	96.9	103.1	97.2	102.8	97.5	102.5	97.8	102.2	98.2	101.8	98.5	101.5
3.8	96.4	103.6	96.6	103.4	96.9	103.1	97.1	102.9	97.4	102.6	97.7	102.3	98.0	102.0	98.3	101.7	98.7	101.3
3.9	96.6	103.4	96.8	103.2	97.1	102.9	97.3	102.7	97.6	102.4	97.9	102.1	98.2	101.8	98.5	101.5	98.8	101.2
4.0	96.8	103.2	97.0	103.0	97.3	102.7	97.6	102.4	97.8	102.2	98.1	101.9	98.4	101.6	98.7	101.3	99.0	101.0

[illegible]

STANDARD DEVIATION OF LOCATION MEANS

SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	95.9	104.1	96.3	103.7	96.8	103.2	97.2	102.8	97.6	102.4	98.1	101.9	98.5	101.5	99.0	101.0	99.4	100.6
0.2	95.9	104.1	96.3	103.7	96.8	103.2	97.2	102.8	97.6	102.4	98.1	101.9	98.5	101.5	99.0	101.0	99.4	100.6
0.3	95.9	104.1	96.3	103.7	96.8	103.2	97.2	102.8	97.7	102.3	98.1	101.9	98.5	101.5	99.0	101.0	99.4	100.6
0.4	95.9	104.1	96.3	103.7	96.8	103.2	97.2	102.8	97.7	102.3	98.1	101.9	98.6	101.4	99.0	101.0	99.4	100.6
0.5	95.9	104.1	96.4	103.6	96.8	103.2	97.2	102.8	97.7	102.3	98.1	101.9	98.6	101.4	99.0	101.0	99.5	100.5
0.6	95.9	104.1	96.4	103.6	96.8	103.2	97.3	102.7	97.7	102.3	98.1	101.9	98.6	101.4	99.0	101.0	99.5	100.5
0.7	96.0	104.0	96.4	103.6	96.8	103.2	97.3	102.7	97.7	102.3	98.2	101.8	98.6	101.4	99.1	100.9	99.5	100.5
0.8	96.0	104.0	96.4	103.6	96.9	103.1	97.3	102.7	97.8	102.2	98.2	101.8	98.6	101.4	99.1	100.9	99.5	100.5
0.9	96.0	104.0	96.5	103.5	96.9	103.1	97.3	102.7	97.8	102.2	98.2	101.8	98.7	101.3	99.1	100.9	99.6	100.4
1.0	96.1	103.9	96.5	103.5	96.9	103.1	97.4	102.6	97.8	102.2	98.3	101.7	98.7	101.3	99.1	100.9	99.6	100.4
1.1	96.1	103.9	96.6	103.4	97.0	103.0	97.4	102.6	97.9	102.1	98.3	101.7	98.7	101.3	99.2	100.8	99.6	100.4
1.2	96.2	103.8	96.6	103.4	97.0	103.0	97.5	102.5	97.9	102.1	98.3	101.7	98.8	101.2	99.2	100.8	99.7	100.3
1.3	96.2	103.8	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.4	101.6	98.8	101.2	99.3	100.7	99.7	100.3
1.4	96.3	103.7	96.7	103.3	97.1	102.9	97.6	102.4	98.0	102.0	98.4	101.6	98.9	101.1	99.3	100.7	99.7	100.3
1.5	96.3	103.7	96.8	103.2	97.2	102.8	97.6	102.4	98.1	101.9	98.5	101.5	98.9	101.1	99.4	100.6	99.8	100.2
1.6	96.4	103.6	96.8	103.2	97.3	102.7	97.7	102.3	98.1	101.9	98.5	101.5	99.0	101.0	99.4	100.6	99.8	100.2
1.7	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.2	101.8	98.6	101.4	99.0	101.0	99.5	100.5	99.9	100.1
1.8	96.5	103.5	97.0	103.0	97.4	102.6	97.8	102.2	98.2	101.8	98.7	101.3	99.1	100.9	99.5	100.5	100.0	100.0
1.9	96.6	103.4	97.0	103.0	97.5	102.5	97.9	102.1	98.3	101.7	98.7	101.3	99.2	100.8	99.6	100.4	100.0	100.0
2.0	96.7	103.3	97.1	102.9	97.5	102.5	98.0	102.0	98.4	101.6	98.8	101.2	99.2	100.8	99.7	100.3		
2.1	96.8	103.2	97.2	102.8	97.6	102.4	98.0	102.0	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3		
2.2	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9	98.5	101.5	99.0	101.0	99.4	100.6	99.8			

4.3 99.9 100.1

1.0 100.0 100.0

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 2 ASSAYS AT EACH OF 30 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

SE	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	84.8	115.2	84.7	115.3	84.7	115.3	85.1	114.9	85.5	114.5	85.9	114.1	86.3	113.7	86.7	113.3	87.1	112.9
0.2	84.7	115.3	84.6	115.4	84.8	115.2	85.2	114.8	85.6	114.4	85.9	114.1	86.3	113.7	86.7	113.3	87.1	112.9
0.3	84.6	115.4	84.6	115.4	84.9	115.1	85.2	114.8	85.6	114.4	86.0	114.0	86.4	113.6	86.7	113.3	87.1	112.9
0.4	84.6	115.4	84.8	115.2	85.0	115.0	85.3	114.7	85.7	114.3	86.0	114.0	86.4	113.6	86.8	113.2	87.2	112.8
0.5	84.8	115.2	85.0	115.0	85.2	114.8	85.5	114.5	85.8	114.2	86.1	113.9	86.5	113.5	86.8	113.2	87.2	112.8
0.6	85.1	114.9	85.2	114.8	85.4	114.6	85.6	114.4	85.9	114.1	86.2	113.8	86.6	113.4	86.9	113.1	87.3	112.7
0.7	85.3	114.7	85.4	114.6	85.6	114.4	85.8	114.2	86.0	114.0	86.3	113.7	86.7	113.3	87.0	113.0	87.4	112.6
0.8	85.5	114.5	85.6	114.4	85.8	114.2	86.0	114.0	86.2	113.8	86.5	113.5	86.8	113.2	87.1	112.9	87.4	112.6
0.9	85.8	114.2	85.9	114.1	86.0	114.0	86.2	113.8	86.4	113.6	86.6	113.4	86.9	113.1	87.2	112.8	87.5	112.5
1.0	86.0	114.0	86.1	113.9	86.2	113.8	86.4	113.6	86.6	113.4	86.8	113.2	87.1	112.9	87.3	112.7	87.7	112.3
1.1	86.2	113.8	86.3	113.7	86.4	113.6	86.6	113.4	86.8	113.2	87.0	113.0	87.2	112.8	87.5	112.5	87.8	112.2
1.2	86.5	113.5	86.6	113.4	86.7	113.3	86.8	113.2	87.0	113.0	87.2	112.8	87.4	112.6	87.7	112.3	87.9	112.1
1.3	86.7	113.3	86.8	113.2	86.9	113.1	87.0	113.0	87.2	112.8	87.4	112.6	87.6	112.4	87.8	112.2	88.1	111.9
1.4	86.9	113.1	87.0	113.0	87.1	112.9	87.3	112.7	87.4	112.6	87.6	112.4	87.8	112.2	88.0	112.0	88.2	111.8
1.5	87.2	112.8	87.3	112.7	87.4	112.6	87.5	112.5	87.6	112.4	87.8	112.2	88.0	112.0	88.2	111.8	88.4	111.6
1.6	87.4	112.6	87.5	112.5	87.6	112.4	87.7	112.3	87.8	112.2	88.0	112.0	88.2	111.8	88.4	111.6	88.6	111.4
1.7	87.6	112.4	87.7	112.3	87.8	112.2	87.9	112.1	88.1	111.9	88.2	111.8	88.4	111.6	88.6	111.4	88.8	111.2
1.8	87.9	112.1	88.0	112.0	88.1	111.9	88.2	111.8	88.3	111.7	88.4	111.6	88.6	111.4	88.8	111.2	89.0	111.0
1.9	88.1	111.9	88.2	111.8	88.3	111.7	88.4	111.6	88.5	111.5	88.7	111.3	88.8	111.2	89.0	111.0	89.2	110.8
2.0	88.4	111.6	88.4	111.6	88.5	111.5	88.6	111.4	88.7	111.3	88.9	111.1	89.0	111.0	89.2	110.8	89.4	110.6
2.1	88.6	111.4	88.7	111.3	88.8	111.2	88.9	111.1	89.0	111.0	89.1	110.9	89.2	110.8	89.4	110.6	89.6	110.4
2.2	88.8	111.2	88.9	111.1	89.0	111.0	89.1	110.9	89.2	110.8	89.3	110.7	89.5	110.5	89.6	110.4	89.8	110.2
2.3	89.1	110.9	89.1	110.9	89.2	110.8	89.3	110.7	89.4	110.6	89.6	110.4	89.7	110.3	89.8	110.2	90.0	110.0
2.4	89.3	110.7	89.4	110.6	89.5	110.5	89.6	110.4	89.7	110.3	89.8	110.2	89.9	110.1	90.1	109.9	90.2	109.8
2.5	89.5	110.5	89.6	110.4	89.7	110.3	89.8	110.2	89.9	110.1	90.0	110.0	90.1	109.9	90.3	109.7	90.4	109.6
2.6	89.8	110.2	89.9	110.1	89.9	110.1	90.0	110.0	90.1	109.9	90.2	109.8	90.4	109.6	90.5	109.5	90.7	109.3
2.7	90.0	110.0	90.1	109.9	90.2	109.8	90.3	109.7	90.4	109.6	90.5	109.5	90.6	109.4	90.7	109.3	90.9	109.1
2.8	90.3	109.7	90.3	109.7	90.4	109.6	90.5	109.5	90.6	109.4	90.7	109.3	90.8	109.2	91.0	109.0	91.1	108.9
2.9	90.5	109.5	90.6	109.4	90.6	109.4	90.7	109.3	90.8	109.2	90.9	109.1	91.1	108.9	91.2	108.8	91.3	108.7
3.0	90.7	109.3	90.8	109.2	90.9	109.1	91.0	109.0	91.1	108.9	91.2	108.8	91.3	108.7	91.4	108.6	91.5	108.5
3.1	91.0	109.0	91.0	109.0	91.1	108.9	91.2	108.8	91.3	108.7	91.4	108.6	91.5	108.5	91.6	108.4	91.8	108.2
3.2	91.2	108.8	91.3	108.7	91.4	108.6	91.4	108.6	91.5	108.5	91.6	108.4	91.7	108.3	91.9	108.1	92.0	108.0
3.3	91.4	108.6	91.5	108.5	91.6	108.4	91.7	108.3	91.8	108.2	91.9	108.1	92.0	108.0	92.1	107.9	92.2	107.8
3.4	91.7	108.3	91.7	108.3	91.8	108.2	91.9	108.1	92.0	108.0	92.1	107.9	92.2	107.8	92.3	107.7	92.4	107.6
3.5	91.9	108.1	92.0	108.0	92.1	107.9	92.1	107.9	92.2	107.8	92.3	107.7	92.4	107.6	92.6	107.4	92.7	107.3
3.6	92.2	107.8	92.2	107.8	92.3	107.7	92.4	107.6	92.5	107.5	92.6	107.4	92.7	107.3	92.8	107.2	92.9	107.1
3.7	92.4	107.6	92.5	107.5	92.5	107.5	92.6	107.4	92.7	107.3	92.8	107.2	92.9	107.1	93.0	107.0	93.1	106.9
3.8	92.6	107.4	92.7	107.3	92.8	107.2	92.9	107.1	92.9	107.1	93.0	107.0	93.1	106.9	93.2	106.8	93.4	106.6
3.9	92.9	107.1	92.9	107.1	93.0	107.0	93.1	106.9	93.2	106.8	93.3	106.7	93.4	106.6	93.5	106.5	93.6	106.4
4.0	93.1	106.9	93.2	106.8	93.2	106.8	93.3	106.7	93.4	106.6	93.5	106.5	93.6	106.4	93.7	106.3	93.8	106.2

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY

SAMPLING PLAN 2

TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0

TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN

OF 60 ASSAYS- 2 ASSAYS AT EACH OF 30 DIFFERENT LOCATIONS

SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION

STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

SE	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.1	93.3	106.7	93.4	106.6	93.5	106.5	93.6	106.4	93.6	106.4	93.7	106.3	93.8	106.2	93.9	106.1	94.1	105.9
4.2	93.6	106.4	93.6	106.4	93.7	106.3	93.8	106.2	93.9	106.1	94.0	106.0	94.1	105.9	94.2	105.8	94.3	105.7
4.3	93.8	106.2	93.9	106.1	94.0	106.0	94.0	106.0	94.1	105.9	94.2	105.8	94.3	105.7	94.4	105.6	94.5	105.5
4.4	94.1	105.9	94.1	105.9	94.2	105.8	94.3	105.7	94.4	105.6	94.4	105.6	94.5	105.5	94.6	105.4	94.8	105.2
4.5	94.3	105.7	94.4	105.6	94.4	105.6	94.5	105.5	94.6	105.4	94.7	105.3	94.8	105.2	94.9	105.1	95.0	105.0
4.6	94.5	105.5	94.6	105.4	94.7	105.3	94.7	105.3	94.8	105.2	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8
4.7	94.8	105.2	94.8	105.2	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8	95.2	104.8	95.3	104.7	95.5	104.5
4.8	95.0	105.0	95.1	104.9	95.2	104.8	95.2	104.8	95.3	104.7	95.4	104.6	95.5	104.5	95.6	104.4	95.7	104.3
4.9	95.3	104.7	95.3	104.7	95.4	104.6	95.5	104.5	95.5	104.5	95.6	104.4	95.7	104.3	95.8	104.2	95.9	104.1
5.0	95.5	104.5	95.6	104.4	95.6	104.4	95.7	104.3	95.8	104.2	95.9	104.1	96.0	104.0	96.1	103.9	96.2	103.8
5.1	95.7	104.3	95.8	104.2	95.9	104.1	95.9	104.1	96.0	104.0	96.1	103.9	96.2	103.8	96.3	103.7	96.4	103.6
5.2	96.0	104.0	96.0	104.0	96.1	103.9	96.2	103.8	96.3	103.7	96.3	103.7	96.4	103.6	96.5	103.5	96.6	103.4
5.3	96.2	103.8	96.3	103.7	96.4	103.6	96.4	103.6	96.5	103.5	96.6	103.4	96.7	103.3	96.8	103.2	96.9	103.1
5.4	96.5	103.5	96.5	103.5	96.6	103.4	96.7	103.3	96.7	103.3	96.8	103.2	96.9	103.1	97.0	103.0	97.1	102.9
5.5	96.7	103.3	96.8	103.2	96.8	103.2	96.9	103.1	97.0	103.0	97.1	102.9	97.2	102.8	97.2	102.8	97.3	102.7
5.6	96.9	103.1	97.0	103.0	97.1	102.9	97.1	102.9	97.2	102.8	97.3	102.7	97.4	102.6	97.5	102.5	97.6	102.4
5.7	97.2	102.8	97.3	102.7	97.3	102.7	97.4	102.6	97.5	102.5	97.5	102.5	97.6	102.4	97.7	102.3	97.8	102.2
5.8	97.4	102.6	97.5	102.5	97.6	102.4	97.6	102.4	97.7	102.3	97.8	102.2	97.9	102.1	98.0	102.0	98.1	101.9
5.9	97.7	102.3	97.7	102.3	97.8	102.2	97.9	102.1	98.0	102.0	98.0	102.0	98.1	101.9	98.2	101.8	98.3	101.7
6.0	97.9	102.1	98.0	102.0	98.1	101.9	98.1	101.9	98.2	101.8	98.3	101.7	98.4	101.6	98.5	101.5	98.6	101.4
6.1	98.2	101.8	98.3	101.7	98.3	101.7	98.4	101.6	98.5	101.5	98.6	101.4	98.7	101.3	98.8	101.2	98.9	101.1
6.2	98.5	101.5	98.6	101.4	98.6	101.4	98.7	101.3	98.8	101.2	98.9	101.1	99.0	101.0	99.1	100.9	99.2	100.8
6.3	98.8	101.2	98.9	101.1	99.0	101.0	99.1	100.9	99.2	100.8	99.2	100.8	99.4	100.6	99.5	100.5	99.6	100.4
6.4	99.3	100.7	99.4	100.6	99.5	100.5	99.6	100.4	99.7	100.3	99.8	100.2	100.0	100.0				

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 2 ASSAYS AT EACH OF 30 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.0		1.1		1.2		1.3		1.4		1.5		1.6		1.7		1.8	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	87.5	112.5	87.9	112.1	88.3	111.7	88.7	111.3	89.0	111.0	89.4	110.6	89.8	110.2	90.2	109.8	90.6	109.4
0.2	87.5	112.5	87.9	112.1	88.3	111.7	88.7	111.3	89.1	110.9	89.5	110.5	89.8	110.2	90.2	109.8	90.6	109.4
0.3	87.5	112.5	87.9	112.1	88.3	111.7	88.7	111.3	89.1	110.9	89.5	110.5	89.9	110.1	90.2	109.8	90.6	109.4
0.4	87.6	112.4	87.9	112.1	88.3	111.7	88.7	111.3	89.1	110.9	89.5	110.5	89.9	110.1	90.3	109.7	90.7	109.3
0.5	87.6	112.4	88.0	112.0	88.4	111.6	88.7	111.3	89.1	110.9	89.5	110.5	89.9	110.1	90.3	109.7	90.7	109.3
0.6	87.7	112.3	88.0	112.0	88.4	111.6	88.8	111.2	89.2	110.8	89.6	110.4	89.9	110.1	90.3	109.7	90.7	109.3
0.7	87.7	112.3	88.1	111.9	88.5	111.5	88.8	111.2	89.2	110.8	89.6	110.4	90.0	110.0	90.4	109.6	90.7	109.3
0.8	87.8	112.2	88.2	111.8	88.5	111.5	88.9	111.1	89.3	110.7	89.6	110.4	90.0	110.0	90.4	109.6	90.8	109.2
0.9	87.9	112.1	88.2	111.8	88.6	111.4	89.0	111.0	89.3	110.7	89.7	110.3	90.1	109.9	90.5	109.5	90.8	109.2
1.0	88.0	112.0	88.3	111.7	88.7	111.3	89.0	111.0	89.4	110.6	89.8	110.2	90.1	109.9	90.5	109.5	90.9	109.1
1.1	88.1	111.9	88.4	111.6	88.8	111.2	89.1	110.9	89.5	110.5	89.8	110.2	90.2	109.8	90.6	109.4	90.9	109.1
1.2	88.2	111.8	88.5	111.5	88.9	111.1	89.2	110.8	89.6	110.4	89.9	110.1	90.3	109.7	90.6	109.4	91.0	109.0
1.3	88.4	111.6	88.7	111.3	89.0	111.0	89.3	110.7	89.7	110.3	90.0	110.0	90.4	109.6	90.7	109.3	91.1	108.9
1.4	88.5	111.5	88.8	111.2	89.1	110.9	89.4	110.6	89.8	110.2	90.1	109.9	90.4	109.6	90.8	109.2	91.2	108.8
1.5	88.7	111.3	89.0	111.0	89.2	110.8	89.6	110.4	89.9	110.1	90.2	109.8	90.5	109.5	90.9	109.1	91.2	108.8
1.6	88.8	111.2	89.1	110.9	89.4	110.6	89.7	110.3	90.0	110.0	90.3	109.7	90.7	109.3	91.0	109.0	91.3	108.7
1.7	89.0	111.0	89.3	110.7	89.5	110.5	89.8	110.2	90.1	109.9	90.4	109.6	90.8	109.2	91.1	108.9	91.4	108.6
1.8	89.2	110.8	89.4	110.6	89.7	110.3	90.0	110.0	90.3	109.7	90.6	109.4	90.9	109.1	91.2	108.8	91.5	108.5
1.9	89.4	110.6	89.6	110.4	89.9	110.1	90.1	109.9	90.4	109.6	90.7	109.3	91.0	109.0	91.3	108.7	91.7	108.3
2.0	89.6	110.4	89.8	110.2	90.0	110.0	90.3	109.7	90.6	109.4	90.9	109.1	91.1	108.9	91.5	108.5	91.8	108.2
2.1	89.8	110.2	90.0	110.0	90.2	109.8	90.5	109.5	90.7	109.3	91.0	109.0	91.3	108.7	91.6	108.4	91.9	108.1
2.2	90.0	110.0	90.2	109.8	90.4	109.6	90.6	109.4	90.9	109.1	91.2	108.8	91.4	108.6	91.7	108.3	92.0	108.0
2.3	90.2	109.8	90.4	109.6	90.6	109.4	90.8	109.2	91.1	108.9	91.3	108.7	91.6	108.4	91.9	108.1	92.2	107.8
2.4	90.4	109.6	90.6	109.4	90.8	109.2	91.0	109.0	91.2	108.8	91.5	108.5	91.8	108.2	92.0	108.0	92.3	107.7
2.5	90.6	109.4	90.8	109.2	91.0	109.0	91.2	108.8	91.4	108.6	91.7	108.3	91.9	108.1	92.2	107.8	92.5	107.5
2.6	90.8	109.2	91.0	109.0	91.2	108.8	91.4	108.6	91.6	108.4	91.8	108.2	92.1	107.9	92.4	107.6	92.6	107.4
2.7	91.0	109.0	91.2	108.8	91.4	108.6	91.6	108.4	91.8	108.2	92.0	108.0	92.3	107.7	92.5	107.5	92.8	107.2
2.8	91.3	108.7	91.4	108.6	91.6	108.4	91.8	108.2	92.0	108.0	92.2	107.8	92.4	107.6	92.7	107.3	92.9	107.1
2.9	91.5	108.5	91.6	108.4	91.8	108.2	92.0	108.0	92.2	107.8	92.4	107.6	92.6	107.4	92.9	107.1	93.1	106.9
3.0	91.7	108.3	91.8	108.2	92.0	108.0	92.2	107.8	92.4	107.6	92.6	107.4	92.8	107.2	93.1	106.9	93.3	106.7
3.1	91.9	108.1	92.1	107.9	92.2	107.8	92.4	107.6	92.6	107.4	92.8	107.2	93.0	107.0	93.2	106.8	93.5	106.5
3.2	92.1	107.9	92.3	107.7	92.4	107.6	92.6	107.4	92.8	107.2	93.0	107.0	93.2	106.8	93.4	106.6	93.7	106.3
3.3	92.4	107.6	92.5	107.5	92.7	107.3	92.8	107.2	93.0	107.0	93.2	106.8	93.4	106.6	93.6	106.4	93.8	106.2
3.4	92.6	107.4	92.7	107.3	92.9	107.1	93.0	107.0	93.2	106.8	93.4	106.6	93.6	106.4	93.8	106.2	94.0	106.0
3.5	92.8	107.2	92.9	107.1	93.1	106.9	93.3	106.7	93.4	106.6	93.6	106.4	93.8	106.2	94.0	106.0	94.2	105.8
3.6	93.0	107.0	93.2	106.8	93.3	106.7	93.5	106.5	93.6	106.4	93.8	106.2	94.0	106.0	94.2	105.8	94.4	105.6
3.7	93.3	106.7	93.4	106.6	93.5	106.5	93.7	106.3	93.9	106.1	94.0	106.0	94.2	105.8	94.4	105.6	94.6	105.4
3.8	93.5	106.5	93.6	106.4	93.8	106.2	93.9	106.1	94.1	105.9	94.2	105.8	94.4	105.6	94.6	105.4	94.8	105.2
3.9	93.7	106.3	93.8	106.2	94.0	106.0	94.1	105.9	94.3	105.7	94.5	105.5	94.6	105.4	94.8	105.2	95.0	105.0
4.0	93.9	106.1	94.1	105.9	94.2	105.8	94.4	105.6	94.5	105.5	94.7	105.3	94.8	105.2	95.0	105.0	95.2	104.8

SAMPLING PLAN 2

STANDARD DEVIATION OF LOCATION MEANS

	1.0		1.1		1.2		1.3		1.4		1.5		1.6		1.7		1.8	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.1	94.2	105.8	94.3	105.7	94.4	105.6	94.6	105.4	94.7	105.3	94.9	105.1	95.1	104.9	95.2	104.8	95.4	104.6
4.2	94.4	105.6	94.5	105.5	94.7	105.3	94.8	105.2	95.0	105.0	95.1	104.9	95.3	104.7	95.5	104.5	95.6	104.4
4.3	94.6	105.4	94.8	105.2	94.9	105.1	95.0	105.0	95.2	104.8	95.3	104.7	95.5	104.5	95.7	104.3	95.8	104.2
4.4	94.9	105.1	95.0	105.0	95.1	104.9	95.3	104.7	95.4	104.6	95.6	104.4	95.7	104.3	95.9	104.1	96.1	103.9
4.5	95.1	104.9	95.2	104.8	95.3	104.7	95.5	104.5	95.6	104.4	95.8	104.2	95.9	104.1	96.1	103.9	96.3	103.7
4.6	95.3	104.7	95.4	104.6	95.6	104.4	95.7	104.3	95.8	104.2	96.0	104.0	96.2	103.8	96.3	103.7	96.5	103.5
4.7	95.6	104.4	95.7	104.3	95.8	104.2	95.9	104.1	96.1	103.9	96.2	103.8	96.4	103.6	96.5	103.5	96.7	103.3
4.8	95.8	104.2	95.9	104.1	96.0	104.0	96.2	103.8	96.3	103.7	96.4	103.6	96.6	103.4	96.8	103.2	96.9	103.1
4.9	96.0	104.0	96.1	103.9	96.3	103.7	96.4	103.6	96.5	103.5	96.7	103.3	96.8	103.2	97.0	103.0	97.1	102.9
5.0	96.3	103.7	96.4	103.6	96.5	103.5	96.6	103.4	96.8	103.2	96.9	103.1	97.0	103.0	97.2	102.8	97.4	102.6
5.1	96.5	103.5	96.6	103.4	96.7	103.3	96.9	103.1	97.0	103.0	97.1	102.9	97.3	102.7	97.4	102.6	97.6	102.4
5.2	96.7	103.3	96.8	103.2	97.0	103.0	97.1	102.9	97.2	102.8	97.4	102.6	97.5	102.5	97.6	102.4	97.8	102.2
5.3	97.0	103.0	97.1	102.9	97.2	102.8	97.3	102.7	97.4	102.6	97.6	102.4	97.7	102.3	97.9	102.1	98.0	102.0
5.4	97.2	102.8	97.3	102.7	97.4	102.6	97.6	102.4	97.7	102.3	97.8	102.2	98.0	102.0	98.1	101.9	98.3	101.7
5.5	97.4	102.6	97.6	102.4	97.7	102.3	97.8	102.2	97.9	102.1	98.0	102.0	98.2	101.8	98.3	101.7	98.5	101.5
5.6	97.7	102.3	97.8	102.2	97.9	102.1	98.0	102.0	98.1	101.9	98.3	101.7	98.4	101.6	98.6	101.4	98.7	101.3
5.7	97.9	102.1	98.0	102.0	98.1	101.9	98.3	101.7	98.4	101.6	98.5	101.5	98.7	101.3	98.8	101.2	99.0	101.0
5.8	98.2	101.8	98.3	101.7	98.4	101.6	98.5	101.5	98.6	101.4	98.8	101.2	98.9	101.1	99.1	100.9	99.2	100.8
5.9	98.4	101.6	98.5	101.5	98.6	101.4	98.8	101.2	98.9	101.1	99.0	101.0	99.2	100.8	99.3	100.7	99.5	100.5
6.0	98.7	101.3	98.8	101.2	98.9	101.1	99.0	101.0	99.2	100.8	99.3	100.7	99.5	100.5	99.6	100.4	99.8	100.2
6.1	99.0	101.0	99.1	100.9	99.2	100.8	99.4	100.6	99.5	100.5	99.7	100.3	99.8	100.2				
6.2	99.3	100.7	99.4	100.6	99.6	100.4	99.7	100.3	99.9	100.1								
6.3	99.8	100.2	99.9	100.1														

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 2 ASSAYS AT EACH OF 30 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.9		2.0		2.1		2.2		2.3		2.4		2.5		2.6		2.7	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	91.0	109.0	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8
0.2	91.0	109.0	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8
0.3	91.0	109.0	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8
0.4	91.0	109.0	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8
0.5	91.1	108.9	91.5	108.5	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8
0.6	91.1	108.9	91.5	108.5	91.9	108.1	92.3	107.7	92.7	107.3	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8
0.7	91.1	108.9	91.5	108.5	91.9	108.1	92.3	107.7	92.7	107.3	93.1	106.9	93.5	106.5	93.8	106.2	94.2	105.8
0.8	91.2	108.8	91.6	108.4	91.9	108.1	92.3	107.7	92.7	107.3	93.1	106.9	93.5	106.5	93.9	106.1	94.3	105.7
0.9	91.2	108.8	91.6	108.4	92.0	108.0	92.4	107.6	92.7	107.3	93.1	106.9	93.5	106.5	93.9	106.1	94.3	105.7
1.0	91.3	108.7	91.6	108.4	92.0	108.0	92.4	107.6	92.8	107.2	93.2	106.8	93.6	106.4	93.9	106.1	94.3	105.7
1.1	91.3	108.7	91.7	108.3	92.1	107.9	92.5	107.5	92.8	107.2	93.2	106.8	93.6	106.4	94.0	106.0	94.4	105.6
1.2	91.4	108.6	91.8	108.2	92.1	107.9	92.5	107.5	92.9	107.1	93.3	106.7	93.6	106.4	94.0	106.0	94.4	105.6
1.3	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	92.9	107.1	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5
1.4	91.5	108.5	91.9	108.1	92.3	107.7	92.6	107.4	93.0	107.0	93.4	106.6	93.7	106.3	94.1	105.9	94.5	105.5
1.5	91.6	108.4	92.0	108.0	92.3	107.7	92.7	107.3	93.1	106.9	93.4	106.6	93.8	106.2	94.2	105.8	94.6	105.4
1.6	91.7	108.3	92.0	108.0	92.4	107.6	92.8	107.2	93.1	106.9	93.5	106.5	93.9	106.1	94.2	105.8	94.6	105.4
1.7	91.8	108.2	92.1	107.9	92.5	107.5	92.8	107.2	93.2	106.8	93.6	106.4	93.9	106.1	94.3	105.7	94.7	105.3
1.8	91.9	108.1	92.2	107.8	92.6	107.4	92.9	107.1	93.3	106.7	93.6	106.4	94.0	106.0	94.4	105.6	94.7	105.3
1.9	92.0	108.0	92.3	107.7	92.7	107.3	93.0	107.0	93.4	106.6	93.7	106.3	94.1	105.9	94.4	105.6	94.8	105.2
2.0	92.1	107.9	92.4	107.6	92.8	107.2	93.1	106.9	93.5	106.5	93.8	106.2	94.2	105.8	94.5	105.5	94.9	105.1
2.1	92.2	107.8	92.5	107.5	92.9	107.1	93.2	106.8	93.6	106.4	93.9	106.1	94.3	105.7	94.6	105.4	95.0	105.0
2.2	92.3	107.7	92.7	107.3	93.0	107.0	93.3	106.7	93.7	106.3	94.0	106.0	94.3	105.7	94.7	105.3	95.1	104.9
2.3	92.5	107.5	92.8	107.2	93.1	106.9	93.4	106.6	93.8	106.2	94.1	105.9	94.4	105.6	94.8	105.2	95.1	104.9
2.4	92.6	107.4	92.9	107.1	93.2	106.8	93.5	106.5	93.9	106.1	94.2	105.8	94.5	105.5	94.9	105.1	95.2	104.8
2.5	92.8	107.2	93.0	107.0	93.4	106.6	93.7	106.3	94.0	106.0	94.3	105.7	94.7	105.3	95.0	105.0	95.3	104.7
2.6	92.9	107.1	93.2	106.8	93.5	106.5	93.8	106.2	94.1	105.9	94.4	105.6	94.8	105.2	95.1	104.9	95.4	104.6
2.7	93.1	106.9	93.3	106.7	93.6	106.4	93.9	106.1	94.2	105.8	94.6	105.4	94.9	105.1	95.2	104.8	95.5	104.5
2.8	93.2	106.8	93.5	106.5	93.8	106.2	94.1	105.9	94.4	105.6	94.7	105.3	95.0	105.0	95.3	104.7	95.7	104.3
2.9	93.4	106.6	93.6	106.4	93.9	106.1	94.2	105.8	94.5	105.5	94.8	105.2	95.1	104.9	95.4	104.6	95.8	104.2
3.0	93.5	106.5	93.8	106.2	94.1	105.9	94.4	105.6	94.7	105.3	95.0	105.0	95.3	104.7	95.6	104.4	95.9	104.1
3.1	93.7	106.3	94.0	106.0	94.2	105.8	94.5	105.5	94.8	105.2	95.1	104.9	95.4	104.6	95.7	104.3	96.0	104.0
3.2	93.9	106.1	94.1	105.9	94.4	105.6	94.7	105.3	95.0	105.0	95.2	104.8	95.5	104.5	95.8	104.2	96.1	103.9
3.3	94.1	105.9	94.3	105.7	94.6	105.4	94.8	105.2	95.1	104.9	95.4	104.6	95.7	104.3	96.0	104.0	96.3	103.7
3.4	94.3	105.7	94.5	105.5	94.7	105.3	95.0	105.0	95.3	104.7	95.5	104.5	95.8	104.2	96.1	103.9	96.4	103.6
3.5	94.4	105.6	94.7	105.3	94.9	105.1	95.2	104.8	95.4	104.6	95.7	104.3	96.0	104.0	96.3	103.7	96.6	103.4
3.6	94.6	105.4	94.9	105.1	95.1	104.9	95.3	104.7	95.6	104.4	95.9	104.1	96.1	103.9	96.4	103.6	96.7	103.3
3.7	94.8	105.2	95.1	104.9	95.3	104.7	95.5	104.5	95.8	104.2	96.0	104.0	96.3	103.7	96.6	103.4	96.9	103.1
3.8	95.0	105.0	95.2	104.8	95.5	104.5	95.7	104.3	96.0	104.0	96.2	103.8	96.5	103.5	96.7	103.3	97.0	103.0
3.9	95.2	104.8	95.4	104.6	95.7	104.3	95.9	104.1	96.1	103.9	96.4	103.6	96.6	103.4	96.9	103.1	97.2	102.8
4.0	95.4	104.6	95.6	104.4	95.8	104.2	96.1	103.9	96.3	103.7	96.6	103.4	96.8	103.2	97.1	102.9	97.3	102.7

SAMPLING PLAN 2

STANDARD DEVIATION OF LOCATION MEANS

[illegible]

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100.0, LOWER BOUND = 95.0, CONFIDENCE LEVEL = 95.0
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS- 2 ASSAYS AT EACH OF 30 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	2.8			2.9			3.0			3.1			3.2			3.3			3.4			3.5			3.6		
SE	LL	UL		LL	UL		LL	UL		LL	UL		LL	UL		LL	UL		LL	UL		LL	UL		LL	UL	
0.1	94.5	105.5		94.9	105.1		95.3	104.7		95.7	104.3		96.1	103.9		96.5	103.5		96.9	103.1		97.3	102.7		97.7	102.3	
0.2	94.6	105.4		94.9	105.1		95.3	104.7		95.7	104.3		96.1	103.9		96.5	103.5		96.9	103.1		97.3	102.7		97.7	102.3	
0.3	94.6	105.4		95.0	105.0		95.3	104.7		95.7	104.3		96.1	103.9		96.5	103.5		96.9	103.1		97.3	102.7		97.7	102.3	
0.4	94.6	105.4		95.0	105.0		95.4	104.6		95.8	104.2		96.1	103.9		96.5	103.5		96.9	103.1		97.3	102.7		97.7	102.3	
0.5	94.6	105.4		95.0	105.0		95.4	104.6		95.8	104.2		96.2	103.8		96.6	103.4		96.9	103.1		97.3	102.7		97.7	102.3	
0.6	94.6	105.4		95.0	105.0		95.4	104.6		95.8	104.2		96.2	103.8		96.6	103.4		97.0	103.0		97.4	102.6		97.8	102.2	
0.7	94.6	105.4		95.0	105.0		95.4	104.6		95.8	104.2		96.2	103.8		96.6	103.4		97.0	103.0		97.4	102.6		97.8	102.2	
0.8	94.7	105.3		95.0	105.0		95.4	104.6		95.8	104.2		96.2	103.8		96.6	103.4		97.0	103.0		97.4	102.6		97.8	102.2	
0.9	94.7	105.3		95.1	104.9		95.5	104.5		95.9	104.1		96.2	103.8		96.6	103.4		97.0	103.0		97.4	102.6		97.8	102.2	
1.0	94.7	105.3		95.1	104.9		95.5	104.5		95.9	104.1		96.3	103.7		96.7	103.3		97.1	102.9		97.4	102.6		97.8	102.2	
1.1	94.8	105.2		95.1	104.9		95.5	104.5		95.9	104.1		96.3	103.7		96.7	103.3		97.1	102.9		97.5	102.5		97.9	102.1	
1.2	94.8	105.2		95.2	104.8		95.6	104.4		95.9	104.1		96.3	103.7		96.7	103.3		97.1	102.9		97.5	102.5		97.9	102.1	
1.3	94.8	105.2		95.2	104.8		95.6	104.4		96.0	104.0		96.4	103.6		96.8	103.2		97.2	102.8		97.5	102.5		97.9	102.1	
1.4	94.9	105.1		95.3	104.7		95.6	104.4		96.0	104.0		96.4	103.6		96.8	103.2		97.2	102.8		97.6	102.4		98.0	102.0	
1.5	94.9	105.1		95.3	104.7		95.7	104.3		96.1	103.9		96.5	103.5		96.8	103.2		97.2	102.8		97.6	102.4		98.0	102.0	
1.6	95.0	105.0		95.4	104.6		95.7	104.3		96.1	103.9		96.5	103.5		96.9	103.1		97.3	102.7		97.7	102.3		98.0	102.0	
1.7	95.0	105.0		95.4	104.6		95.8	104.2		96.2	103.8		96.6	103.4		96.9	103.1		97.3	102.7		97.7	102.3		98.1	101.9	
1.8	95.1	104.9		95.5	104.5		95.9	104.1		96.2	103.8		96.6	103.4		97.0	103.0		97.4	102.6		97.8	102.2		98.1	101.9	
1.9	95.2	104.8		95.6	104.4		95.9	104.1		96.3	103.7		96.7	103.3		97.1	102.9		97.4	102.6		97.8	102.2		98.2	101.8	
2.0	95.3	104.7		95.6	104.4		96.0	104.0		96.4	103.6		96.7	103.3		97.1	102.9		97.5	102.5		97.9	102.1		98.3	101.7	
2.1	95.3	104.7		95.7	104.3		96.1	103.9		96.4	103.6		96.8	103.2		97.2	102.8		97.6	102.4		97.9	102.1		98.3	101.7	
2.2	95.4	104.6		95.8	104.2		96.1	103.9		96.5	103.5		96.9	103.1		97.2	102.8		97.6	102.4		98.0	102.0		98.4	101.6	
2.3	95.5	104.5		95.9	104.1		96.2	103.8		96.6	103.4		96.9	103.1		97.3	102.7		97.7	102.3		98.1	101.9		98.4	101.6	
2.4	95.6	104.4		95.9	104.1		96.3	103.7		96.7	103.3		97.0	103.0		97.4	102.6		97.8	102.2		98.1	101.9		98.5	101.5	
2.5	95.7	104.3		96.0	104.0		96.4	103.6		96.7	103.3		97.1	102.9		97.5	102.5		97.8	102.2		98.2	101.8		98.6	101.4	
2.6	95.8	104.2		96.1	103.9		96.5	103.5		96.8	103.2		97.2	102.8		97.5	102.5		97.9	102.1		98.3	101.7		98.6	101.4	
2.7	95.9	104.1		96.2	103.8		96.6	103.4		96.9	103.1		97.3	102.7		97.6	102.4		98.0	102.0		98.4	101.6		98.7	101.3	
2.8	96.0	104.0		96.3	103.7		96.7	103.3		97.0	103.0		97.4	102.6		97.7	102.3		98.1	101.9		98.4	101.6		98.8	101.2	
2.9	96.1	103.9		96.4	103.6		96.8	103.2		97.1	102.9		97.5	102.5		97.8	102.2		98.2	101.8		98.5	101.5		98.9	101.1	
3.0	96.2	103.8		96.5	103.5		96.9	103.1		97.2	102.8		97.6	102.4		97.9	102.1		98.3	101.7		98.6	101.4		99.0	101.0	
3.1	96.3	103.7		96.7	103.3		97.0	103.0		97.3	102.7		97.7	102.3		98.0	102.0		98.4	101.6		98.7	101.3		99.1	100.9	
3.2	96.5	103.5		96.8	103.2		97.1	102.9		97.4	102.6		97.8	102.2		98.1	101.9		98.5	101.5		98.8	101.2		99.2	100.8	
3.3	96.6	103.4		96.9	103.1		97.2	102.8		97.6	102.4		97.9	102.1		98.2	101.8		98.6	101.4		98.9	101.1		99.3	100.7	
3.4	96.7	103.3		97.0	103.0		97.4	102.6		97.7	102.3		98.0	102.0		98.3	101.7		98.7	101.3		99.0	101.0		99.4	100.6	
3.5	96.9	103.1		97.2	102.8		97.5	102.5		97.8	102.2		98.1	101.9		98.5	101.5		98.8	101.2		99.1	100.9		99.5	100.5	
3.6	97.0	103.0		97.3	102.7		97.6	102.4		97.9	102.1		98.3	101.7		98.6	101.4		98.9	101.1		99.2	100.8		99.6	100.4	
3.7	97.2	102.8		97.5	102.5		97.8	102.2		98.1	101.9		98.4	101.6		98.7	101.3		99.0	101.0		99.4	100.6		99.7	100.3	
3.8	97.3	102.7		97.6	102.4		97.9	102.1		98.2	101.8		98.5	101.5		98.8	101.2		99.2	100.8		99.5	100.5		99.8	100.2	
3.9	97.5	102.5		97.7	102.3		98.0	102.0		98.3	101.7		98.7	101.3		99.0	101.0		99.3	100.7		99.6	100.4		100.0	100.0	
4.0	97.6	102.4		97.9	102.1		98.2	101.8		98.5	101.5		98.8	101.2		99.1	100.9		99.4	100.6		99.8	100.2				

[illegible]

	3.7		3.8		3.9		4.0		4.1		4.2		4.3		4.4		4.5	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	98.1	101.9	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3								
0.2	98.1	101.9	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3								
0.3	98.1	101.9	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3								
0.4	98.1	101.9	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3								
0.5	98.1	101.9	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3								
0.6	98.1	101.9	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3								
0.7	98.2	101.8	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2								
0.8	98.2	101.8	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2								
0.9	98.2	101.8	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2								
1.0	98.2	101.8	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2								
1.1	98.3	101.7	98.7	101.3	99.0	101.0	99.4	100.6	99.8	100.2								
1.2	98.3	101.7	98.7	101.3	99.1	100.9	99.5	100.5	99.9	100.1								
1.3	98.3	101.7	98.7	101.3	99.1	100.9	99.5	100.5	99.9	100.1								
1.4	98.4	101.6	98.7	101.3	99.1	100.9	99.5	100.5	99.9	100.1								
1.5	98.4	101.6	98.8	101.2	99.2	100.8	99.6	100.4	100.0	100.0								
1.6	98.4	101.6	98.8	101.2	99.2	100.8	99.6	100.4	100.0	100.0								
1.7	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3										
1.8	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3										
1.9	98.6	101.4	99.0	101.0	99.4	100.6	99.7	100.3										
2.0	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2										
2.1	98.7	101.3	99.1	100.9	99.5	100.5	99.9	100.1										
2.2	98.7	101.3	99.1	100.9	99.5	100.5	99.9	100.1										
2.3	98.8	101.2	99.2	100.8	99.6	100.4	100.0	100.0										
2.4	98.9	101.1	99.3	100.7	99.6	100.4	100.0	100.0										
2.5	98.9	101.1	99.3	100.7	99.7	100.3												
2.6	99.0	101.0	99.4	100.6	99.8	100.2												
2.7	99.1	100.9	99.5	100.5	99.9	100.1												
2.8	99.2	100.8	99.5	100.5	99.9	100.1												
2.9	99.3	100.7	99.6	100.4	100.0	100.0												
3.0	99.3	100.7																